

No. F5(1374)ST/MNIT/2016

Phone : 0141-2713312,2713352

Fax No. : 0141-2529078

M/s

.....

.....

NOTICE INVITING QUOTATIONS

1. Registrar, MNIT, Jaipur invites sealed "QUOTATIONS" for the supply of **Switches** for **CWN (Campus Wide Networking)** of this Institute in **Single bid system**. As per schedule given below

Event	Date & Time
Download of Tender	10.03.2017
Bid submission	27.03.2017 by 2.00 PM
Quotation will be opened at	27.03.2017 at 3.00 PM
Earnest Money	Rs.11,000/- (Kindly attached the RTGS details with cancelled cheque along with the Earnest Money)

Quotation must be enclosed in a properly sealed envelope addressed to the MNIT, Jaipur with kind attention to Assistant Registrar (S&P), MNIT, Jaipur by designation and not by name. The quotations must be super scribed "Quotations for the supply of **Switches** ----- as called for in Tender Notice No. ----- dated _____" DUE ON----- AT -----AM/PM. The Quotation must reach on or before -----AM/ PM on or before the due date and time mentioned in the tender notice/tender document. The documents must be dropped in the tender box available in Central Store during office hours (9.30am to 6.00pm) on all working days. Bids delivered to any other place or any individual shall not be considered as valid document. Quotations sent by e-mail will not be considered valid. **Details visit: www.mnit.ac.in**

2. **THE RATES QUOTED SHOULD BE F.O.R. JAIPUR** inclusive of all charges e.g. packing, forwarding local taxes, railway freight, transit insurance, for outside firms and free delivery at Institute stores in the case of local firms. The rates may also be quoted separately "ex-godown/F.O.R. dispatching station. In case of Ex-Godown rates, please mention your packing and forwarding charges. Where there is no mention regarding delivery period in the quotations or where the items are offered ex-stock, the firms will be required to supply goods within one-month time.
3. Quotations should preferably be given only for those articles, which are available ex-stock. Other items should be quoted separately giving the delivery period. Rates of imported goods be quoted excluding custom duty as this institution is exempted from payment of custom duty. The rates of indigenous equipments may be quoted without Excise Duty as this institute is exempted from payment of Excise Duty.
4. As far as possible, quotations should be given for goods of India manufacture and foreign goods, which are readily available. Foreign goods quoted and proposed to be supplied should be covered by normal import quota of the dealer. This institute is exempted from payment of custom duty.
5. Detailed specifications and "make" of each item should be clearly given supported by the illustrated pamphlets wherever possible. Quotations without specifying the make and other particulars may be rejected. The payment will be made after the goods have been received, opened, checked and found to be in order up to our entire satisfaction. The accessories included in the equipment should also be clearly mentioned.

6. Losses or damage in transit will be in to the account of the supplier in case of rates **F.O.R. JAIPUR**. The supplier may, if he so desires, get the goods insured and include such charges in the tendered rate.
7. The payment for the ordered items would be made after the articles have been received and found in order. **Payment will be made by RTGS. Kindly send the RTGS details and cancelled cheque along with the Invoice.**
8. Your rates should be valid at least for three months from the last date of receipt of quotations.
9. All legal proceedings, if necessity arises to institute may be any of the parties (Institute or Contractor/Supplier) shall have to be lodged in the courts situated at Jaipur and not elsewhere.
10. The undersigned is not bound to accept the lowest tender and may reject any tender or any part of the tender giving justification for such an action.
11. The rates must be quoted item-wise by giving Serial No. of our enquiry letter.
12. The quotations should preferably be sent duly typed.
13. (a) The Penalty Clause is as under :-

Should the tenderer fail to deliver the goods within the period specified in the tender form the Institute may, at its discretion, allow an extension in time subject to recovery from the tenderer as agreed liquidated damages, and not by way of penalty, a sum equal to the percentage of the value of stores which the tenderer has failed to supply for period of delay as stated below: -

(i)	Delay up to one month	1%
(ii)	Delay exceeding one month but not exceeding two month	2%
(iii)	Delay exceeding two month but not exceeding three month	5%
(iv)	Delay exceeding three month	5% for each month and part there of subject to maximum 10%

(b) In case of failure to supply the goods within the prescribed time and in accordance with the specifications give in the Quotations, the institute shall be free to cancel the order and make purchases from the next higher tenderer or from the open market as the case may be. In that case the loss sustained by the institute shall be recovered from the defaulting supplier. The institute will be at liberty to recover the loss from the permanent earnest money/or any other pending claims of the supplier without prejudice to its general right to affect recovery from the supplier.
14. **EARNEST MONEY: A Demand Draft for Rs.11,000/- only in the name of the Registrar, M.N.I.T. may please be sent along with your tender as Earnest Money without which no tender shall be considered. Cheques are not accepted as earnest money amount. No interest is paid by us on the amount of earnest money. **Kindly attached the RTGS details with cancelled cheque along with the Earnest Money. Cheques / FDR are not accepted as Earnest Money****
15. Specification Enclosed.

ASSISTANT REGISTRAR (S & P)

24 port Switch specifications		Qty : - 06
S.No	Feature	Detailed Description
1	Switching capacity	Switching capacity for 24 port switch is equal or more then 56Gbps
2	24 x 10/100/1000BaseT ports	Compliant to following standards, 1. IEEE 802.3 compliance 2. IEEE 802.3u compliance 3. IEEE 802.3ab compliance 4. Support Half/Full-Duplex operations 5. IEEE 802.3x Flow Control support for Full-Duplex mode, Back Pressure when Half-Duplex mode, and Head-of-line blocking prevention.
3	Combo ports in the front panel	Combo 10/100/1000BASE-T/SFP ports 10/100/1000BASE-T ports compliant to following standards 1. IEEE 802.3 compliance 2. IEEE 802.3u compliance 3. IEEE 802.3ab compliance 4. Support Full-Duplex operations 5. IEEE 802.3x Flow Control support for Full-Duplex mode, back pressure when Half-Duplex mode, and Head-of-line blocking prevention
4	RSTP	Fast convergence using 802.1w (Rapid Spanning Tree [RSTP])
5	LACP	Support for IEEE 802.3ad Link Aggregation Control Protocol (LACP)
6	VLAN	Support for up to 4096 VLANs, VLAN trunking, simultaneously Port-based and 802.1Q tag-based VLANs MAC-based VLAN
7	Loop Detection	Support Automatic Loop Detection
8	DHCP	Relay of DHCP traffic to DHCP server in different VLAN. Works with DHCP Option 82
9	IGMP	Internet Group Management Protocol (IGMP) versions 1, 2, and 3 snooping
10	Frame Size	Support Jumbo Frames for equal or more then 9k
11	SNMP	Simple Network Management protocol Version V1, V2, V3
12	SSL	Secure Sockets Layer (SSL) : - (SSL support: Encrypts all HTTPS traffic, allowing highly secure access to the browser-based management GUI in the switch
13	Authentication	802.1X: RADIUS authentication and accounting, MD5 hash; guest VLAN; unauthenticated VLAN, single/multiple host mode and single/multiple sessions. Web based authentication provides network admission control through web browser to any host devices and operating systems.

48 port Switch specifications		Qty :- 13
Item	Feature	Detailed Description
1	Switching capacity	Switching capacity for 48port switch is equal or more then 96Gbps
2	48 x 10/100/1000BaseT ports	Compliant to following standards, 6. IEEE 802.3 compliance 7. IEEE 802.3u compliance 8. IEEE 802.3ab compliance 9. Support Half/Full-Duplex operations 10. IEEE 802.3x Flow Control support for Full-Duplex mode, Back Pressure when Half-Duplex mode, and Head-of-line blocking prevention.
3	Combo ports in the front panel	Combo 10/100/1000BASE-T/SFP ports 10/100/1000BASE-T ports compliant to following standards 6. IEEE 802.3 compliance 7. IEEE 802.3u compliance 8. IEEE 802.3ab compliance 9. Support Full-Duplex operations IEEE 802.3x Flow Control support for Full-Duplex mode, back pressure when Half-Duplex mode, and Head-of-line blocking prevention
4	RSTP	Fast convergence using 802.1w (Rapid Spanning Tree [RSTP])
5	LACP	Support for IEEE 802.3ad Link Aggregation Control Protocol (LACP)
6	VLAN	Support for up to 4096 VLANs, VLAN trunking, simultaneously Port-based and 802.1Q tag-based VLANs MAC-based VLAN
7	Loop Detection	Support Automatic Loop Detection
8	DHCP	Relay of DHCP traffic to DHCP server in different VLAN. Works with DHCP Option 82
9	IGMP	Internet Group Management Protocol (IGMP) versions 1, 2, and 3 snooping
10	Frame Size	Support Jumbo Frames for equal or more then 9k
11	SNMP	Simple Network Management protocol Version V1, V2, V3
12	SSL	Secure Sockets Layer (SSL) : - (SSL support: Encrypts all HTTPS traffic, allowing highly secure access to the browser-based management GUI in the switch
13	Authentication	802.1X: RADIUS authentication and accounting, MD5 hash; guest VLAN; unauthenticated VLAN, single/multiple host mode and single/multiple sessions. Web based authentication provides network admission control through web browser to any host devices and operating systems.

ASSISTANT REGISTRAR
(Stores & Purchases)