

No. F5(4020)ST/MNIT/Estate/2017

Phone : 0141-2713312,2713352

Fax No. : 0141-2529078

M/s

.....

.....

NOTICE INVITING QUOTATIONS

1. Registrar, MNIT, Jaipur invites sealed "QUOTATIONS" for the supply of **Electrical Items** for **Estate Section** of this Institute in **Single bid system**. As per schedule given below

Event	Date & Time
Download of Tender	28.08.2017
Bid submission	18.09.2017 by 2.00 PM
Quotation will be opened at	18.09.2017 at 3.00 PM
Tender document fee	Rs.500/- (Non-Refundable) in the name of Registrar, M.N.I.T. and payable at Jaipur
Earnest Money	Rs.16,000/- (Kindly attached the RTGS details with cancelled cheque along with the Earnest Money)

Quotation must be enclosed in a properly sealed envelope addressed to the MNIT, Jaipur with kind attention to Assistant Registrar (S&P), MNIT, Jawahar Lal Nehru Marg, Jaipur -302017 by designation and not by name. The quotations must be super scribed "Quotations for the supply of **Electrical Items** ----- as called for in Tender Notice No. ----- dated _____" DUE ON----- AT -----AM/PM. The Quotation must reach on or before --- ---AM/ PM on or before the due date and time mentioned in the tender notice/tender document. The documents must be dropped in the tender box available in Central Store during office hours (9.30am to 6.00pm) on all working days. Bids delivered to any other place or any individual shall not be considered as valid document. Quotations sent by e-mail will not be considered valid. Tender documents may be downloaded from institute's web site www.mnit.ac.in and CPPP site <https://eprocure.gov.in/epublish/app>

2. **THE RATES QUOTED SHOULD BE F.O.R. JAIPUR** inclusive of all charges e.g. packing, forwarding, transit insurance, for outside firms and free delivery at Institute stores in the case of local firms. The rates may also be quoted separately "ex-godown/F.O.R. dispatching station. In case of Ex-Godown rates, please mention your packing and forwarding charges.
3. As far as possible, quotations should be given for goods of India manufacture which are readily available. Foreign goods quoted and proposed to be supplied should be covered by normal import quota of the dealer. This institute is exempted from payment of custom duty.
4. Detailed specifications and "make" of each item should be clearly given supported by the illustrated pamphlets wherever possible. Quotations without specifying the make and other particulars may be rejected. The accessories included in the equipment should also be clearly mentioned.
5. Losses or damage in transit will be in to the account of the supplier in case of rates **F.O.R. JAIPUR**. The supplier may, if he so desires, get the goods insured and include such charges in the tendered rate.
6. The payment for the ordered items would be made after the articles have been received and found in order. **Payment will be made by RTGS. Kindly send the RTGS details and cancelled cheque along with the Invoice. The payment to foreign supplier will be made through FDD/Wire Transfer OR Letter of Credit as the case may be.**

7. Your rates should be valid at least for three months from the last date of opening of bid.
8. All legal proceedings, if necessity arises to institute may be any of the parties (Institute or Contractor/Supplier) shall have to be lodged in the courts situated at Jaipur and not elsewhere.
9. The institute is not bound to accept the lowest tender and may reject any tender or any part of the tender giving justification for such an action.
10. The rates must be quoted item-wise by giving Serial No. of our enquiry letter.
11. The quotations should preferably be sent duly typed.
12. (a) The Penalty Clause is as under :-

Should the tenderer fail to deliver the goods within the period specified in the tender form the Institute may, at its discretion, allow an extension in time subject to recovery from the tenderer as agreed liquidated damages, and not by way of penalty, a sum equal to the percentage of the value of stores which the tenderer has failed to supply for period of delay as stated below: -

(i)	Delay up to one month	1%
(ii)	Delay exceeding one month but not exceeding two month	2%
(iii)	Delay exceeding two month but not exceeding three month	5%
(iv)	Delay exceeding three month	5% for each month and part there of subject to maximum 10%

- (b) In case of failure to supply the goods within the prescribed time and in accordance with the specifications give in the Quotations, the institute shall be free to cancel the order and make purchases from the next higher tenderer or from the open market as the case may be. In that case the loss sustained by the institute shall be recovered from the defaulting supplier. The institute will be at liberty to recover the loss from the permanent earnest money/or any other pending claims of the supplier without prejudice to its general right to affect recovery from the supplier.
13. EARNEST MONEY: A Demand Draft/FDR/Banker's Cheque or Bank Guarantee of Rs. 16,000/- only in the name of the Registrar, M.N.I.T. and payable at Jaipur may please be sent along with your tender as Earnest Money **without which no tender shall be considered. Cheques are not accepted as earnest money amount.** No interest is paid by us on the amount of earnest money. **Kindly attached the RTGS details with cancelled cheque along with the Earnest Money.**
14. While submitting the tender, the **GST Registration No.** is to be mentioned by the bidder positively. Failing this, there bid will be treated as non responsive.
15. All the electrical items should have minimum ONE YEAR WARRENTY. Please refer the same in our quotation
16. Specification Enclosed.

Assistant Registrar
(Store & Purchase)

S.No.	Description of items	Unit	Qty	Rate	Total Amount
1	6 amp. flush type switch (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	1150		
2	16 amp. flush type switch (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	500		
3	Bell push flush type (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	20		
4	3 pin 6 amp. flush type socket (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	350		
5	3/6 pin 16 amp flush type socket (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	250		
6	6 amp surface type ceiling rose (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	10		
7	6 amp bakelite batten/angle holder (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	50		
8	6 amp bakelite unbreakable 3 pin plug top (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	70		
9	16 amp bakelite unbreakable 3 pin plug top (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	35		
10	Flush type 120/280 watt rotary step fan regulator (Make SSK (topline), Anchor (Penta), Vinay (Clair - 30), Precision (prime))	Nos.	150		
11	Modular accessories made out of unbreakable and fire retardant poly carbonate with silver contacts				
11.1	6 A one way switch (Make MK (wrap around), Legrand (Myrius), Schneider (Opale), Havell's (Crabtree))	Nos.	100		
11.2	16 A one way switch (Make MK (wrap around), Legrand (Myrius), Schneider (Opale), Havell's (Crabtree))	Nos.	100		
11.3	6 A 3 pin shuttered socket (Make MK (wrap around), Legrand (Myrius), Schneider (Opale), Havell's (Crabtree))	Nos.	100		
11.4	16 A 6 pin shuttered socket (Make MK (wrap around), Legrand (Myrius), Schneider (Opale), Havell's (Crabtree))	Nos.	100		
11.5	5 step fan regulator (Make MK (wrap around), Legrand (Myrius), Schneider (Opale), Havell's (Crabtree))	Nos.	70		
12	Ding dong/musical chime bell	Nos.	25		
13	20 mm Medium duty PVC conduit (Make AKG, Precision, BEC, Polycab)	Mtrs.	600.0		

14	25 mm Medium duty PVC conduit (Make AKG, Precision, BEC, Polycab)	Mtrs.	200.0		
15	FR PVC insulated & unsheathed flexible copper conductor ISI marked. (Make RR Kabel , National, Finolex, Polycab, Havell's)				
15.1	0.75 sq.mm	Mtr.	1260		
15.2	1.5 sq.mm	Mtr.	2250		
15.3	2.5 sq.mm	Mtr.	2250		
15.4	4.0 sq.mm	Mtr.	630		
16	Supply of 240/415 V AC MCB with positive isolation of breaking capacity not less than 10 KA (B/ C/ D tripping characteristic) ISI marked IS 8828(1996)]/ conforming to IEC 60898. (Make - Schneider (Multi 9), Legrand (Lexic), L&T, ABB (SH200M))				
16.1	Single pole 16 Amp MCB	Nos.	50.0		
16.2	Single pole 25 Amp MCB	Nos.	50.0		
16.3	Single pole 32 Amp MCB	Nos.	100.0		
17	Supply of 240/415 V isolator conforming to IS:13947-III/ IEC 60947-3. (Make - Schneider (Multi 9), Legrand (Lexic), L&T, ABB (SH200M))				
17.1	30 A Double pole isolator	Nos.	20.0		
17.2	63 A rating Four pole Isolator	Nos.	30.0		
17.3	100 A rating Four pole Isolator	Nos.	30.0		
18	Fluorscent tube rod, 5 STAR rating (make:Philips, Bajaj, CG, Wipro, GE, Havell's, HPL, Surya)				
18.1	Flourscent powder coated 18 Watts	Nos.	150		
18.2	Flourscent powder coated 36 Watts	Nos.	1600		
18.3	T5 lamps 14 Watts	Nos.	20		
18.4	T5 lamps 28 Watts	Nos.	70		
19	Supply of Ballast for existing FTL / CFL fixture. (make:Philips, Bajaj, CG, Wipro, GE, Havell's, HPL, Surya)				
19.1	High frequency electronic ballast 18/36 watts for FTL	Nos.	300		
19.2	Vacuum pressure impregnated copper ballast for 9/11/13/18 watt CFL	Nos.	150		
19.3	High frequency electronic ballast 14 watts for T5 Lamps	Nos.	25		
19.4	High frequency electronic ballast 28 watts for T5 Lamps	Nos.	25		
20	Supply of Capacitors for power factor improvement. (make: Epcos, L&T, GE, Neptune, ABB, Schneider)				
20.1	2.5 Mfd 250 V	Nos.	550		
20.2	4 Mfd 250 V	Nos.	150		
21	Supply of starter for existing fluorscent lamp.(FSU) (make:Philips, Bajaj, CG, Wipro, GE, Havell's, HPL, Surya)	Nos.	1000		

22	Supply of two pin energy efficient compact fluorscent lamp in existing holder/fixture. (make:Philips, Bajaj, CG, Wipro, GE, Havell's, HPL, Surya)				
22.1	11 watt 2 pin	Nos.	1025		
22.2	18 watts 2 pin (as per the sample)	Nos.	125		
22.3	36 Watt 4 pin	Nos.	120		
23	Supply Normal Output High pressure sodium vapour/ Metal halide / Halogen lamp as required. (Make Philips, Bajaj, CG, GE, Surya)				
23.1	HPSV Tubular lamp 150 Watt 15000 Lumens	Nos.	5		
23.2	HPSV Tubular lamp 250 Watt 28000 Lumens	Nos.	15		
23.3	Metal halide lamp single ended tubular 400 Watt	Nos.	15		
24	Supply of Capacitors for power factor improvement in existing HPSV/ HPMV/ Metal halide lamp. (Make: Epcos, L&T, GE, Neptune, ABB, Schneider)				
24.1	33 mfd	Nos.	15		
24.2	43 mfd	Nos.	10		
25	Supply of Electronic ignitor suitable for HPSV/ Metal halide lamp up to 30.0 Mtr. distance as required. (Make Philips, Bajaj, CG, GE, Surya)	Nos.	50		
26	Supply of vacuum pressure impregnated copper ballast suitable for HPMV / HPSV / Metal halide lamp luminaire as required. (Make Philips, Bajaj, CG, GE, Surya)				
26.1	HPSV/Metal halide lamp 150 Watt	Nos.	5		
26.2	HPSV/Metal halide lamp 250 Watt	Nos.	5		
26.3	HPSV/Metal halide lamp 400 Watt	Nos.	15		
27	Bulb 60/100 W	Nos.	150		
28	Metal clad industrial plug top with pin and sleeve type contact -20 Amp (Legrand, ABB, Schneider)	Nos.	20		
29	Supply metal clad industrial plug top & socket unit with pin and sleeve type contact on porcelain/ bakelite base in sheet steel enclosure (without MCB) (Make Legrand, ABB, Schneider)				
29.1	Single/ Double pole 3 pin 20 Amp	Nos.	20		
29.2	3/ 4 pole 5 pin 32 Amp	Nos.	5		

ASSISTANT REGISTRAR
(S & P)